



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

3. All houses in the towns should be screened with gauze or wire of not less than 16 meshes to the inch, and that the screen doors of all houses be supplied with springs so as to insure their being closed at all hours. This should be done not later than March 1.

4. We also advise that every family have on hand at least one mosquito-proof net for the purpose of immediately screening anyone who should be taken ill. We do not mean by this only yellow fever or suspicious cases, but we refer to all diseases—malaria, chills and fever, typhoid, measles, and others attended by even the slightest rise of temperature.

5. And finally, though most important of all, we request that a general fumigation throughout each town be held on one of the coldest days in February. We request a thorough fumigation, not of one or two rooms of the house, but of the entire premises, halls, and closets as well. The cold weather will drive the naturally domestic *stegomyia* into the house and by this means we can effectually kill all the mature insects and need only fear infection from without.

We request that you give these suggestions your earnest attention and have them printed in such shape as to meet the eyes of every inhabitant of the town.

We urge all citizens to see that these recommendations are complied with.

Report from Norfolk, Va.—Status of smallpox—Vaccination of crews of vessels.

Passed Assistant Surgeon Blue reports, February 2, as follows:

Smallpox continues to spread in Norfolk and vicinity. In the smallpox hospital on Craney Island there are at present 138 cases and 8 or 10 in the city. The average of new cases is from 6 to 8 daily.

During the month of January 165 persons, the personnel of crews of vessels, were vaccinated in this office.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,
YEARLY AND MONTHLY.

CALIFORNIA—*Mortality statistics for December.*—For December, mortality statistics were reported to the State board of health from 53 counties with a population estimated at 1,723,773. There were 2,498 deaths exclusive of stillbirths. These figures represent an annual death rate of 17.4. The high death rate reflects the great mortality in December from pneumonia and other diseases of the respiratory system, and also indicates that the population of California has increased more rapidly since than before 1900, the low estimate for the population found by the Census Bureau method necessarily making the death rate too high.

The proportion of deaths caused by diseases of the respiratory system (pneumonia, bronchitis, etc.) was considerably greater for December than for November. The leading specific cause of death, as usual, was tuberculosis, with pneumonia and heart disease next in order. There were 36 deaths from enteric fever and 392 from tuberculosis.

CONNECTICUT—*Bridgeport.*—Month of December, 1905. Estimated population, 82,128. Total number of deaths, 127, including diphtheria 5, measles 1, scarlet fever 1, and 19 from tuberculosis.

Stamford.—Month of January, 1906. Estimated population, 18,000. Total number of deaths not reported. No deaths from contagious diseases.

MISSOURI—*St. Louis*.—Month of December, 1905. Estimated population, 685,000; white, 643,000; colored, 42,000. Total number of deaths, 857; white, 758; colored, 99, including diphtheria 18, enteric fever 6, scarlet fever 3, whooping cough 4, and 112 from tuberculosis.

NEBRASKA—*Omaha*.—Month of September, 1905. Estimated population, 110,000. Total number of deaths, 60, including diphtheria 1, enteric fever 3, whooping cough 2, and 1 from phthisis pulmonalis.

Month of October, 1905. Total number of deaths, 73, including diphtheria 4, enteric fever 2, and 5 from phthisis pulmonalis.

OHIO—*Toledo*.—Month of December, 1905. Estimated population, 164,264. Total number of deaths, 125, including diphtheria 2, enteric fever 4, scarlet fever 2, and 13 from tuberculosis.

VERMONT—*Burlington*.—Month of May, 1905. Estimated population, 22,000. Total number of deaths, 45, including whooping cough 1, and 3 from tuberculosis.

Month of June, 1905. Total number of deaths, 35, including diphtheria 1, and 2 from tuberculosis.

Month of July, 1905. Total number of deaths, 38, including 4 from tuberculosis.

Month of August, 1905. Total number of deaths, 47, including diphtheria 1, and 4 from tuberculosis.

Month of September, 1905. Total number of deaths, 28, including diphtheria 2, and 4 from tuberculosis.

Month of October, 1905. Total number of deaths, 46, including 1 from tuberculosis.

Month of November, 1905. Total number of deaths, 42, including diphtheria 3, enteric fever 1, and 3 from tuberculosis.

Month of December, 1905. Total number of deaths, 36, including diphtheria 2, and 1 from enteric fever.

WISCONSIN—*Milwaukee*.—Month of December, 1905. Estimated population, 335,000. Total number of deaths, 375, including diphtheria 5, enteric fever 6, and 42 from tuberculosis.